
Subject: MH Link ?

Posted by [bigjig](#) on Fri, 21 Sep 2018 08:31:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi MH people,

I'm curious about what kind of protocol is using the MH Link.

Is it based on a PTP Network?

Could it be AES67 compatible in a far future?

Thanks for your lights

Subject: Re: MH Link ?

Posted by [kinobi](#) on Tue, 30 Oct 2018 06:25:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

+1 for AES67

Subject: Re: MH Link ?

Posted by [Stromdog](#) on Wed, 17 Jul 2019 15:36:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Could someone point me to instructions for MH Link for connecting two 2882s via ethernet? Is connecting boxes via USB available yet?

Subject: Re: MH Link ?

Posted by [bigjig](#) on Sun, 12 Jul 2020 20:43:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi there,

I'm disappointed about all these MHlink questions without any answer or explanation...

Impossible to find detailed documentation on ethernet connection.

All I know is that I can connect directly my 2882 through my computer ethernet port, but if I want to use a gigabyte switch how can I set up my Network, change IP address of my 2882?

In DHCP mode it works fine with default network address (APIPA), but how can I do if I need to manage my network addresses?

Found nothing in MIO console menu or MH website.

It's frustrating to have such a powerful tool without any technical documentation...

Subject: Re: MH Link ?
Posted by [bj](#) on Sun, 12 Jul 2020 21:07:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Quote:Could someone point me to instructions for MH Link for connecting two 2882s via ethernet?

Connect the first box to the computer via MHLINK. Connect the second box to the first box via MHLINK (daisy chain). Rinse, lather repeat for more boxes.

Quote:Is connecting boxes via USB available yet?

Yes; it has been available from the beginning for one box. For two or more boxes you will need an Ethernet connection to configure the routing but you can still use USB for audio streaming (either with or without MHLINK-based computer streaming).

Quote:I'm disappointed about all these MHLINK questions without any answer or explanation...

Sorry, I missed this thread.

MHLINK is a proprietary L2 protocol. It does not use PTP. AES67 is a possibility for the future, but we don't have any interop with AES67 implemented at the present time.

Quote:Impossible to find detailed documentation on ethernet connection.
Found nothing in MIO console menu or MH website.

There is documentation available from the software download page, e.g.:

https://mhsecure.com/3d_Early_Access/3dQuickStart_pb9.html

This documentation describes the basics of using the devices. We have more complete documentation that we are in the process of finishing up and will be posting as soon as it is ready.

Quote:All I know is that I can connect directly my 2882 through my computer ethernet port, but if I want to use a gigabyte switch how can I set up my Network, change IP address of my 2882? In DHCP mode it works fine with default network address (APIPA), but how can I do if I need to manage my network addresses?

MHLINK is a Layer 2 protocol; it doesn't use IP addresses. So the answer is - you don't need to worry about the network address of the 2882.

Just connect your computer, your router and your 2882 to the GigE switch and it will all work (assuming the switch doesn't drop packets).

It is important to note that only one copy of MIOConsole3d can talk to a MIO at a time; so if you put your 2882 on your LAN, you need to make sure that you are only running one instance of MIOConsole3d on the LAN, otherwise it is likely the the HW will get confused and may require a reboot.

Subject: Re: MH Link ?

Posted by [bigjig](#) on Sun, 12 Jul 2020 22:06:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

THANK YOU !

8)

Finger crossed for AES67 in the future...

Connection with Ravenna or Dante interfaces would be amazing
